

## Ruby - Bug #4814

### minitest 2.2.x and test/unit do not get along

06/02/2011 07:37 AM - zenspider (Ryan Davis)

Status:	Rejected	
Priority:	Normal	
Assignee:	sorah (Sorah Fukumori)	
Target version:		
ruby -v:	-	Backport:

#### Description

TestParallel tests are broken on trunk after my update of minitest (+ your patch to test/unit to get tests running).

##### 1. Failure:

```
test_jobs_status(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:176]:  
Expected /d+=test_(first|second|third|forth) */ to match "Run options: -j t2 --jobs-status\n\n# Running  
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass  
(NoMethodError)\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in each"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in  
_run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in  
run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in "\n".
```

##### 2. Failure:

```
test_no_retry_option(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:170]:  
Expected /^ +\d+) Failure:\nptest_fail_at_worker(TestD) to match "Run options: -j t2 --no-retry\n\n# Running  
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass  
(NoMethodError)\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in each"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in  
_run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in  
run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in "\n".
```

##### 3. Failure:

```
test_should_retry_failed_on_workers(TestParallel::TestParallel)  
[/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:162]:  
Expected /^Retrying.+$/ to match "Run options: -j t2\n\n# Running  
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass  
(NoMethodError)\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in each"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in  
_run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in  
run"\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run"\n\nfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in "\n".
```

##### 4. Failure:

```
test_should_run_all_without_any_leaks(TestParallel::TestParallel)  
[/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:156]:  
Expected ^.(SF.F..+SF).$/ to match "Run options: -j t2\n\n# Running
```

```
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass  
(NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel"\n\tfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites"\n\tfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything"\n\tfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests"\n\tfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run"\n\tfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in each"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in  
_run"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in run"\n\tfrom  
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in  
run"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run"\n\tfrom  
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in `\"".
```

## History

### #1 - 06/02/2011 10:30 AM - naruse (Yui NARUSE)

Hi, ryan

Thank you for running test-all before commit.  
But can you make a ticket when the commit will break test-all?  
Especially for r31885, which broke installation, breaks continuous integration.

### #2 - 06/02/2011 01:33 PM - sorah (Sorah Fukumori)

- Status changed from Open to Feedback

Hi,

How I reproduce this issue?

### #3 - 06/02/2011 07:29 PM - zenspider (Ryan Davis)

- ruby -v changed from ruby 1.9.3dev (2011-06-01 trunk 31883) [x86\_64-darwin10.7.0] to -

On Jun 1, 2011, at 21:33 , Shota Fukumori wrote:

How I reproduce this issue?

make test-all was all I was doing.

The only oddity is that I delete the drb tests first because they fail spectacularly on osx (75 seconds per error, 100% error).

### #4 - 06/02/2011 07:56 PM - sorah (Sorah Fukumori)

could test again with make TESTS="-v testunit/test\_parallel.rb" test-all at r31902?

I can't reproduce at ruby 1.9.3dev (2011-06-02 trunk 31902) [x86\_64-darwin10.7.0].

### #5 - 06/03/2011 05:53 AM - zenspider (Ryan Davis)

On Jun 2, 2011, at 03:56 , Shota Fukumori wrote:

could test again with `make TESTS

### #6 - 06/12/2011 09:38 PM - naruse (Yui NARUSE)

How's it going?

### #7 - 06/22/2011 06:59 AM - zenspider (Ryan Davis)

mail-to-rubymine truncated my response... Fixed:

I'm still broken:

```
7107 % svn st
7107 % svn info io.c | grep Revision
Revision: 31902
7108 % make -j 4 ruby19
```

```

make: `ruby19' is up to date.
7109 % make TESTS="-v testunit/test_parallel.rb" test-all
./miniruby -I./lib -I./ext/common ./tool/runruby.rb --extout=.ext -- ./test/runner.rb --ruby=./miniruby -I./lib -I./ext/common ./tool/runruby.rb
--extout=.ext -- -v testunit/test_parallel.rb
Run options: "--ruby=./miniruby -I./lib -I./ext/common ./tool/runruby.rb --extout=.ext --" -v

```

## Running tests:

```

TestParallel::TestParallel#test_jobs_status = 0.12 s = F
TestParallel::TestParallel#test_no_retry_option = 0.12 s = F
TestParallel::TestParallel#test_should_retry_failed_on_workers = 0.12 s = F
TestParallel::TestParallel#test_should_run_all_without_any_leaks = 0.13 s = F
TestParallel::TestParallelWorker#test_accept_run_command_multiple_times = 0.11 s = .
TestParallel::TestParallelWorker#test_done = 0.11 s = .
TestParallel::TestParallelWorker#test_p = 0.11 s = .
TestParallel::TestParallelWorker#test_quit = 0.11 s = .
TestParallel::TestParallelWorker#test_run = 0.11 s = .
TestParallel::TestParallelWorker#test_run_multiple testcase_in_one_file = 0.11 s = .

Finished tests in 1.145128s, 8.7326 tests/s, 35.8039 assertions/s.

```

### 1. Failure:

```

test_jobs_status(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:176]:
Expected /d+=test_(first|second|third|forth) */ to match "Run options: -j t2 --jobs-status\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
_runAnything'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'".

```

### 2. Failure:

```

test_no_retry_option(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:170]:
Expected /+d+/ Failure:\nptest_fail_at_worker(TestD) to match "Run options: -j t2 --no-retry\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
_runAnything'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'".

```

### 3. Failure:

```

test_should_retry_failed_on_workers(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:162]:
Expected /Retrying.+$/ to match "Run options: -j t2\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in
_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in
_run_parallel'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:561:in _run_suites'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _runAnything'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'".

```

### 4. Failure:

```

test_should_run_all_without_any_leaks(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:156]:
Expected /.(SF.F/F..+SF).$/ to match "Run options: -j t2\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in
_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in
_run_parallel'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:561:in _run_suites'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _runAnything'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'".

```

10 tests, 41 assertions, 4 failures, 0 errors, 0 skips  
make: \*\*\* [yes-test-all] Error 4

Even after updating to the latest revision:

Run options: "--ruby=./miniruby -I./lib -I.ext/common ./tool/runruby.rb --extout=.ext --" -v

## Running tests:

```
TestParallel::TestParallel#test_ignore_jzero = 0.11 s = .
TestParallel::TestParallel#test_jobs_status = 0.12 s = F
TestParallel::TestParallel#test_no_retry_option = 0.11 s = F
TestParallel::TestParallel#test_should_retry_failed_on_workers = 0.11 s = F
TestParallel::TestParallel#test_should_run_all_without_any_leaks = 0.11 s = F
TestParallel::TestParallelWorker#test_accept_run_command_multiple_times = 0.12 s = .
TestParallel::TestParallelWorker#test_done = 0.13 s = .
TestParallel::TestParallelWorker#test_p = 0.16 s = .
TestParallel::TestParallelWorker#test_quit = 0.11 s = .
TestParallel::TestParallelWorker#test_run = 0.11 s = .
TestParallel::TestParallelWorker#test_run_multiple testcase_in_one_file = 0.11 s = .
```

Finished tests in 1.302439s, 8.4457 tests/s, 32.2472 assertions/s.

### 1. Failure:

```
test_jobs_status(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:175]:
Expected ^d+=test_(first|second|third|forth) * to match "Run options: -j t1 --jobs-status\n\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:500:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:557:in _run_parallel'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:566:in _run_suites'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
_runAnything'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:635:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:639:in run"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'n".
```

### 2. Failure:

```
test_no_retry_option(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:169]:
Expected ^+d+) Failure\nptest_fail_at_worker(TestD) to match "Run options: -j t1 --no-retry\n\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:500:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:557:in _run_parallel'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:566:in _run_suites'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
_runAnything'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:635:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:639:in run"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'n".
```

### 3. Failure:

```
test_should_retry_failed_on_workers(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:162]:
Expected ^Retrying.+$ to match "Run options: -j t1\n\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:500:in ensure in
_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:557:in
_run_parallel'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:566:in _run_suites'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _runAnything'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:635:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:639:in run"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'n".
```

### 4. Failure:

```
test_should_run_all_without_any_leaks(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:156]:
Expected /[SF.]{7}$/ to match "Run options: -j t1\n\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:500:in ensure in
_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:557:in
_run_parallel'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:566:in _run_suites'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _runAnything'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:635:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:639:in run"\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
'n".
```

11 tests, 42 assertions, 4 failures, 0 errors, 0 skips  
make: \*\*\* [yes-test-all] Error 4

## #8 - 03/13/2012 11:15 AM - sorah (Sorah Fukumori)

- Status changed from Feedback to Rejected

Rejecting because of no feedback and I can't reproduce in my environment.

(if this issue is still reproducible, please reopen)

## #9 - 05/06/2012 05:57 AM - zenspider (Ryan Davis)

On Jun 2, 2011, at 03:56 , Shota Fukumori wrote:

could test again with make TESTS="-v testunit/test\_parallel.rb" test-all at r31902?

I can't reproduce at ruby 1.9.3dev (2011-06-02 trunk 31902) [x86\_64-darwin10.7.0].

As an aside, since you're on OSX, do the drb tests work for you? How to fix?

```
TestDRbAry#test_01 = 74.83 s = E
TestDRbAry#test_02_collect = 75.54 s = E
TestDRbAry#test_03_redo = 75.03 s = E
TestDRbAry#test_05_break = 75.03 s = E
TestDRbAry#test_06_next = 75.03 s = E
TestDRbAry#test_07_break_18 = 75.04 s = E
```

Huh... any suggestion on what I might be doing wrong because I can reproduce against latest?

```
% ./miniruby -v
ruby 1.9.3dev (2011-06-02 trunk 31906) [x86_64-darwin10.7.0]
```

```
% make TESTS="-v testunit/test_parallel.rb" test-all
./miniruby -l./lib -l -l.ext/common ./tool/runruby.rb --extout=.ext -- ./test/runner.rb" --ruby="./miniruby -l./lib -l -l.ext/common ./tool/runruby.rb
--extout=.ext --" -v testunit/test_parallel.rb
Run options: "-ruby=./miniruby -l./lib -l -l.ext/common ./tool/runruby.rb --extout=.ext --" -v
```

## Running tests:

```
TestParallel::TestParallel#test_jobs_status = 0.12 s = F
TestParallel::TestParallel#test_no_retry_option = 0.12 s = F
TestParallel::TestParallel#test_should_retry_failed_on_workers = 0.12 s = F
TestParallel::TestParallel#test_should_run_all_without_any_leaks = 0.12 s = F
TestParallel::TestParallelWorker#test_accept_run_command_multiple_times = 0.11 s = .
TestParallel::TestParallelWorker#test_done = 0.11 s = .
TestParallel::TestParallelWorker#test_p = 0.11 s = .
TestParallel::TestParallelWorker#test_quit = 0.10 s = .
TestParallel::TestParallelWorker#test_run = 0.11 s = .
TestParallel::TestParallelWorker#test_run_multiple testcase_in_one_file = 0.11 s = .
```

Finished tests in 1.118685s, 8.9391 tests/s, 36.6502 assertions/s.

### 1. Failure:

```
test_jobs_status(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:176]:
Expected \d+=test_(first|second|third|forth) */ to match "Run options: -j t2 --jobs-status\n\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel'\n\nfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
._runAnything'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\nfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\nfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
"\n".
```

### 2. Failure:

```
test_no_retry_option(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:170]:
Expected /^ +\d+ Failure:\nptest_fail_at_worker(TestD)/ to match "Run options: -j t2 --no-retry\n\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel'\n\nfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\nfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
```

```
_runAnything\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in\neach\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in\nrun\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in\n"\n".
```

#### 3. Failure:

```
test_should_retry_failed_on_workers(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:162]:\nExpected /^Retrying.+$/ to match "Run options: -j t2\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in\n_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in\n_run_parallel\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in\neach\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in\nrun\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in\n"\n".
```

#### 4. Failure:

```
test_should_run_all_without_any_leaks(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:156]:\nExpected ^/(SF/F..+SF)$ to match "Run options: -j t2\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in\n_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in\n_run_parallel\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in\neach\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in\nrun\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run\n\tfrom\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in\n"\n".
```

10 tests, 41 assertions, 4 failures, 0 errors, 0 skips  
make: \*\*\* [yes-test-all] Error 4

#### #10 - 05/06/2012 05:58 AM - zenspider (Ryan Davis)

On Jun 2, 2011, at 03:56 , Shota Fukumori wrote:

could test again with make TESTS="-v testunit/test\_parallel.rb" test-all at r31902?

I can't reproduce at ruby 1.9.3dev (2011-06-02 trunk 31902) [x86\_64-darwin10.7.0].

As an aside, since you're on OSX, do the drb tests work for you? How to fix?

```
TestDRbAry#test_01 = 74.83 s = E\nTestDRbAry#test_02_collect = 75.54 s = E\nTestDRbAry#test_03_redo = 75.03 s = E\nTestDRbAry#test_05_break = 75.03 s = E\nTestDRbAry#test_06_next = 75.03 s = E\nTestDRbAry#test_07_break_18 = 75.04 s = E
```

Huh... any suggestion on what I might be doing wrong because I can reproduce against latest?

```
% ./miniruby -v\nruby 1.9.3dev (2011-06-02 trunk 31906) [x86_64-darwin10.7.0]
```

```
% make TESTS="-v testunit/test_parallel.rb" test-all\n./miniruby -I./lib -I./ext/common ./tool/runruby.rb --extout=.ext -- ./test/runner.rb --ruby=./miniruby -I./lib -I./ext/common ./tool/runruby.rb\n--extout=.ext -- -v testunit/test_parallel.rb\nRun options: "--ruby=./miniruby -I./lib -I./ext/common ./tool/runruby.rb --extout=.ext --" -v
```

## Running tests:

```
TestParallel::TestParallel#test_jobs_status = 0.12 s = F\nTestParallel::TestParallel#test_no_retry_option = 0.12 s = F\nTestParallel::TestParallel#test_should_retry_failed_on_workers = 0.12 s = F\nTestParallel::TestParallel#test_should_run_all_without_any_leaks = 0.12 s = F\nTestParallel::TestParallelWorker#test_accept_run_command_multiple_times = 0.11 s = .\nTestParallel::TestParallelWorker#test_done = 0.11 s = .\nTestParallel::TestParallelWorker#test_p = 0.11 s = .
```

```
TestParallel::TestParallelWorker#test_quit = 0.10 s = .
TestParallel::TestParallelWorker#test_run = 0.11 s = .
TestParallel::TestParallelWorker#test_run_multiple testcase_in_one_file = 0.11 s = .
```

Finished tests in 1.118685s, 8.9391 tests/s, 36.6502 assertions/s.

#### 1. Failure:

```
test_jobs_status(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:176]:
Expected \d+=test_(first|second|third|forth) */ to match "Run options: -j t2 --jobs-status\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
_run_anything'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
''.\n".
```

#### 2. Failure:

```
test_no_retry_option(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:170]:
Expected /^+\d+/ Failure:\nptest_fail_at_worker(TestD) to match "Run options: -j t2 --no-retry\n# Running
ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in _run_parallel': undefined method each' for nil:NilClass
(NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in _run_parallel'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in
_run_anything'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
''.\n".
```

#### 3. Failure:

```
test_should_retry_failed_on_workers(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:162]:
Expected /^Retrying.+$/ to match "Run options: -j t2\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in
_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in
_run_parallel'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
''.\n".
```

#### 4. Failure:

```
test_should_run_all_without_any_leaks(TestParallel::TestParallel) [/Users/ryan/Work/svn/ruby/ruby/test/testunit/test_parallel.rb:156]:
Expected /^.(SF,F/F..+SF).$/ to match "Run options: -j t2\n# Running ptests:\n\n/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:495:in ensure in
_run_parallel': undefined method each' for nil:NilClass (NoMethodError)\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:552:in
_run_parallel'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:561:in _run_suites'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:746:in _run_anything'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/misc.rb:14:in run_tests'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:896:in block in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in
each'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:895:in _run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/minitest/unit.rb:884:in
run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:21:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:609:in run'\n\tfrom
/Users/ryan/Work/svn/ruby/ruby/lib/test/unit.rb:613:in run'\n\tfrom /Users/ryan/Work/svn/ruby/ruby/test/testunit/tests_for_parallel/runner.rb:7:in
''.\n".
```

10 tests, 41 assertions, 4 failures, 0 errors, 0 skips

make: \*\*\* [yes-test-all] Error 4