

Ruby - Bug #8245

Segfault installing gems on Linux PowerPC with Ruby 2.0.0p0

04/11/2013 05:57 AM - jamesotron (James Harton)

Status:	Closed	
Priority:	Normal	
Assignee:	linux	
Target version:		
ruby -v:	ruby 2.0.0p0 (2013-02-24 revision 39474) [powerpc-linux]	Backport:
Description		
When attempting to install bundler on a freshly installed Ruby 2.0.0p0 (installed via rvm) on Ubuntu 12.10 running on a G4 PowerPC I receive the following segfault:		
<pre>[08:51][jnh@cube]~\$ gem install bundler Fetching: bundler-1.3.5.gem (100%) Successfully installed bundler-1.3.5 Parsing documentation for bundler-1.3.5 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb:45: [BUG] Segmentation fault ruby 2.0.0p0 (2013-02-24 revision 39474) [powerpc-linux] -- Control frame information ----- c:0035 p:---- s:0184 e:000183 CFUNC :require c:0034 p:0073 s:0180 e:000179 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb:45 c:0033 p:0015 s:0170 e:000169 TOP /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/irb/slex.rb:13 [FINISH] c:0032 p:---- s:0167 e:000166 CFUNC :require c:0031 p:0073 s:0163 e:000162 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb:45 c:0030 p:0015 s:0153 e:000152 TOP /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/ruby_lex.rb:13 [FINISH] c:0029 p:0040 s:0151 e:000150 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/ruby.rb:164 [FINISH] c:0028 p:---- s:0143 e:000142 CFUNC :new c:0027 p:0127 s:0135 e:000134 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser.rb:221 c:0026 p:0175 s:0124 e:000123 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb:360 c:0025 p:0016 s:0113 e:000112 BLOCK /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb:417 [FINISH] c:0024 p:---- s:0110 e:000109 CFUNC :map c:0023 p:0074 s:0107 e:000106 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb:415 c:0022 p:0013 s:0101 e:000100 BLOCK /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:181 [FINISH] c:0021 p:---- s:0099 e:000098 CFUNC :chdir c:0020 p:0322 s:0095 e:000094 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:180 c:0019 p:0015 s:0088 e:000087 BLOCK /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:54 [FINISH] c:0018 p:---- s:0085 e:000084 CFUNC :each c:0017 p:0036 s:0082 e:000081 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:53 [FINISH] c:0016 p:---- s:0074 e:000073 IFUNC c:0015 p:---- s:0072 e:000071 CFUNC :call c:0014 p:0012 s:0067 e:000066 BLOCK /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:382 [FINISH] c:0013 p:---- s:0064 e:000063 CFUNC :each c:0012 p:0015 s:0061 e:000060 BLOCK /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:381 c:0011 p:0075 s:0059 e:000058 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:401 c:0010 p:0078 s:0054 e:000053 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:380 c:0009 p:0105 s:0048 e:000047 BLOCK /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/commands/install_command.rb:166 [FINISH] c:0008 p:---- s:0041 e:000040 CFUNC :each c:0007 p:0174 s:0038 e:000037 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/commands/install_command.rb:158 c:0006 p:0064 s:0032 e:000031 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command.rb:305 c:0005 p:0130 s:0027 e:000026 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command_manager.rb:170</pre>		

```

c:0004 p:0014 s:0020 e:000019 METHOD
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command_manager.rb:130
c:0003 p:0097 s:0013 e:000012 METHOD /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/gem_runner.rb:60
c:0002 p:0206 s:0007 E:002138 EVAL /usr/local/rvm/rubies/ruby-2.0.0-p0/bin/gem:25 [FINISH]
c:0001 p:0000 s:0002 E:0007dc TOP [FINISH]

/usr/local/rvm/rubies/ruby-2.0.0-p0/bin/gem:25:in <main>'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/gem_runner.rb:60:in run'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command_manager.rb:130:in run'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command_manager.rb:170:in process_args'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command.rb:305:in invoke_with_build_args'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/commands/install_command.rb:158:in execute'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/commands/install_command.rb:158:in each'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/commands/install_command.rb:166:in block in execute'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:380:in install'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:401:in in_background'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:381:in block in install'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:381:in each'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:382:in block (2 levels) in install'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb:382:in call'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:53:in generation_hook'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:53:in each'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:54:in block in generation_hook'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:180:in generate'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:180:in chdir'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb:181:in block in generate'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb:415:in parse_files'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb:415:in map'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb:417:in block in parse_files'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb:360:in parse_file'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser.rb:221:in for'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser.rb:221:in new'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/ruby.rb:164:in initialize'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/ruby_lex.rb:13:in <top (required)>'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb:45:in require'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb:45:in require'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/irb/slex.rb:13:in <top (required)>'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb:45:in require'
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb:45:in `require'

-- C level backtrace information -----
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1df100) [0xff22100] vm_dump.c:64903
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x78dfc) [0xfdbbdfc] error.c:118811
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_bug+0x9bc) [0xfdbcf4c] error.c:195374
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x156d78) [0xfe99d78] signal.c:10121
[0x100370] parse.y:2137355
[0xbfa3726c]
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c7da0) [0xff0ada0] vm_method.c:398518
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_check_funcall+0x150) [0xff16060] vm_eval.c:1579679
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x7f63c) [0xfdc263c] eval.c:45678
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_exc_raise+0x28) [0xfdc4578] eval.c:211474
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x7c3e8) [0xfdbf3e8] error.c:371826
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x93eb8) [0xfdd6eb8] file.c:608333
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x943b4) [0xfdd73b4] file.c:631231
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x8448c) [0xfdc748c] load.c:16683
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_require_safe+0x3dc) [0xfdc960c] load.c:195477
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_f_require+0x38) [0xfdc9968] load.c:210154
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c3314) [0xff06314] vm_insnhelper.c:10010
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd53c) [0xff1053c] insns.def:1015545
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_iseq_eval+0x168) [0xff1bcd8] vm.c:2098306
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x844b8) [0xfdc74b8] load.c:17197
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_require_safe+0x3dc) [0xfdc960c] load.c:195477
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_f_require+0x38) [0xfdc9968] load.c:210154
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c3314) [0xff06314] vm_insnhelper.c:10010
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862

```

/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd53c) [0xff1053c] insns.def:1015545
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_iseq_eval+0x168) [0xff1bcd8] vm.c:2098306
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x844b8) [0xfdc74b8] load.c:17197
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_require_safe+0x3dc) [0xfdc960c] load.c:195477
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1a4d20) [0xfce7d20] variable.c:53468
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_protect+0xd0) [0xfdc4d10] eval.c:252434
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_autoload_load+0x148) [0xfceb6f8] variable.c:350965
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1a893c) [0xfceb93c] variable.c:364081
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cb588) [0xff0e588] vm_insnhelper.c:732098
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d2a1c) [0xff15a1c] vm_eval.c:1548202
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_funcall2+0xcc) [0xff173ec] vm_eval.c:1690417
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_obj_call_init+0x74) [0xfdc6cb4] eval.c:441761
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_class_new_instance+0x4c) [0xfe24f6c] object.c:255187
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c32ac) [0xff062ac] vm_insnhelper.c:7438
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd53c) [0xff1053c] insns.def:1015545
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_yield+0x1a8) [0xff1b8f8] vm.c:2072456
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x400b4) [0xfd830b4] array.c:697838
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c32e0) [0xff062e0] vm_insnhelper.c:8724
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd480) [0xff10480] insns.def:1010154
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_yield+0x1a8) [0xff1b8f8] vm.c:2072456
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x69720) [0xfdac720] dir.c:175118
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_ensure+0xd4) [0xfdc4e84] eval.c:263213
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x6b890) [0xfdae890] dir.c:344674
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c32ac) [0xff062ac] vm_insnhelper.c:7438
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd480) [0xff10480] insns.def:1010154
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_yield+0x1a8) [0xff1b8f8] vm.c:2072456
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_ary_each+0x78) [0xfd7aed8] array.c:16014
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c32e0) [0xff062e0] vm_insnhelper.c:8724
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd480) [0xff10480] insns.def:1010154
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d2a1c) [0xff15a1c] vm_eval.c:1548202
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d2d14) [0xff15d14] vm_eval.c:1559601
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_method_call+0x180) [0xfdcba1a0] proc.c:107276
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x88a2c) [0xfdcba2c] proc.c:147668
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1ca1cc) [0xff0d1cc] vm_insnhelper.c:607210
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d2490) [0xff15490] vm.c:1512376
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x89754) [0xfdcc754] proc.c:223298
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c32ac) [0xff062ac] vm_insnhelper.c:7438
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd53c) [0xff1053c] insns.def:1015545
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_yield+0x1a8) [0xff1b8f8] vm.c:2072456
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_ary_each+0x78) [0xfd7aed8] array.c:16014
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c32e0) [0xff062e0] vm_insnhelper.c:8724
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd480) [0xff10480] insns.def:1010154
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_yield+0x1a8) [0xff1b8f8] vm.c:2072456
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_ary_each+0x78) [0xfd7aed8] array.c:16014
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c32e0) [0xff062e0] vm_insnhelper.c:8724
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1c75fc) [0xff0a5fc] vm_insnhelper.c:360862

```
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d6580) [0xff19580] vm_insnhelper.c:1884152
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1cd480) [0xff10480] insns.def:1010154
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x1d13d4) [0xff143d4] vm.c:1407895
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(rb_iseq_eval_main+0x160) [0xff1be70] vm.c:2112911
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(+0x7f8a4) [0xfdc28a4] eval.c:56826
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(ruby_exec_node+0x38) [0xfdc4408] eval.c:201787
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0(ruby_run_node+0x40) [0xfdc6760] eval.c:413244
ruby() [0x1000064c]
/lib/powerpc-linux-gnu/libc.so.6(+0x22840) [0xfbd9840]
/lib/powerpc-linux-gnu/libc.so.6(+0x22a14) [0xfbd9a14]
```

-- Other runtime information -----

- Loaded script: /usr/local/rvm/rubies/ruby-2.0.0-p0/bin/gem
- Loaded features:

```
0 enumerator.so
1 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/encdb.so
2 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/trans/transdb.so
3 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/rbconfig.rb
4 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/compatibility.rb
5 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/defaults.rb
6 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/deprecate.rb
7 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/errors.rb
8 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/version.rb
9 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/requirement.rb
10 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/platform.rb
11 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/specification.rb
12 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/exceptions.rb
13 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_gem.rb
14 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/core_ext/kernel_require.rb
15 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems.rb
16 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/optparse.rb
17 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/user_interaction.rb
18 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command.rb
19 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/command_manager.rb
20 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/etc.so
21 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/config_file.rb
22 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/path_support.rb
23 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency.rb
24 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/fileutils.rb
25 /usr/local/rvm/gems/ruby-2.0.0-p0@global/gems/rubygems-bundler-1.1.1/lib/rubygems-bundler/wrapper.rb
26 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/digest.so
27 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/digest.rb
28 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/openssl.so
29 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl/bn.rb
30 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl/cipher.rb
31 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/stringio.so
32 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl/config.rb
33 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl/digest.rb
34 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl/x509.rb
35 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl/buffering.rb
36 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/fcntl.so
37 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl/ssl.rb
38 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/openssl.rb
39 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/security/policy.rb
40 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/security/policies.rb
41 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/security/signer.rb
42 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/security/trust_dir.rb
43 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/security.rb
44 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/zlib.so
45 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/package/digest_io.rb
46 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/package/old.rb
47 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/package/tar_header.rb
48 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/package/tar_reader/entry.rb
49 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/package/tar_reader.rb
```

50 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/package/tar_writer.rb
51 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/package.rb
52 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/ext/builder.rb
53 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/ext/configure_builder.rb
54 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/delegate.rb
55 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/tmpdir.rb
56 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/thread.rb
57 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/tempfile.rb
58 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/ext/ext_conf_builder.rb
59 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/ext/rake_builder.rb
60 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/ext/cmake_builder.rb
61 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/ext.rb
62 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/installer.rb
63
/usr/local/rvm/gems/ruby-2.0.0-p0@global/gems/rubygems-bundler-1.1.1/lib/rubygems-bundler/regenerate_binstubs_command.
rb
64 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/timeout.rb
65 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/gem_runner.rb
66 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/syntax_error.rb
67 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/psych.so
68 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes/node.rb
69 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes/stream.rb
70 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes/document.rb
71 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes/sequence.rb
72 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes/scalar.rb
73 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes/mapping.rb
74 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes/alias.rb
75 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/nodes.rb
76 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/streaming.rb
77 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/visitors/visitor.rb
78 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/strscan.so
79 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/scalar_scanner.rb
80 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/visitors/to_ruby.rb
81 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/visitors/emitter.rb
82 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/visitors/yaml_tree.rb
83 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/json/ruby_events.rb
84 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/visitors/json_tree.rb
85 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/visitors/depth_first.rb
86 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/visitors.rb
87 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/handler.rb
88 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/tree_builder.rb
89 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/parser.rb
90 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/omap.rb
91 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/set.rb
92 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/coder.rb
93 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/core_ext.rb
94 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/date_core.so
95 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/date/format.rb
96 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/date.rb
97 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/deprecated.rb
98 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/stream.rb
99 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/json/yaml_events.rb
100 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/json/tree_builder.rb
101 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/json/stream.rb
102 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych/handlers/document_stream.rb
103 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/psych.rb
104 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/psych_additions.rb
105 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/psych_tree.rb
106 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/yaml.rb
107 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/syck_hack.rb
108 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/install_update_options.rb
109 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/tsort.rb
110 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_list.rb
111 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/common.rb
112 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/generic.rb
113 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/ftp.rb
114 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/http.rb

115 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/https.rb
116 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/ldap.rb
117 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/ldaps.rb
118 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri/mailto.rb
119 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/uri.rb
120 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/socket.so
121 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/socket.rb
122 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/securerandom.rb
123 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/resolv.rb
124 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/remote_fetcher.rb
125 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/text.rb
126 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/name_tuple.rb
127 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/spec_fetcher.rb
128 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/source.rb
129 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/source_local.rb
130 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/source_specific_file.rb
131 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/available_set.rb
132 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_installer.rb
133 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/local_remote_options.rb
134 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/validator.rb
135 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/version_option.rb
136 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/install_message.rb
137 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/protocol.rb
138 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/exceptions.rb
139 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/header.rb
140 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/generic_request.rb
141 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/request.rb
142 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/requests.rb
143 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/response.rb
144 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/responses.rb
145 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/proxy_delta.rb
146 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http/backward.rb
147 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/http.rb
148 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/dependency_resolver.rb
149 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/request_set.rb
150 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc.rb
151 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rubygems_hook.rb
152 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/rdoc.rb
153 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/commands/install_command.rb
154 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/time.rb
155 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/site_ruby/2.0.0/rubygems/source_list.rb
156 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/net/https.rb
157 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16le.so
158 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16be.so
159 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/find.rb
160 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/pathname.so
161 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/pathname.rb
162 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/cgi/util.rb
163 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/erb.rb
164 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/generator.rb
165 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/json/version.rb
166 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/ostruct.rb
167 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/json/generic_object.rb
168 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/json/common.rb
169 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32be.so
170 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32le.so
171 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/parser.so
172 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/generator.so
173 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/json/ext.rb
174 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/json.rb
175 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markup.rb
176 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markup/formatter.rb
177 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markup/to_joined_paragraph.rb
178 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markdown/entities.rb
179 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markdown/literals_1_9.rb
180 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markdown.rb
181 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rd.rb

```

182 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markup/parser.rb
183 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/markup/pre_process.rb
184 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/tom_doc.rb
185 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/text.rb
186 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/code_object.rb
187 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/method_attr.rb
188 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/cgi/core.rb
189 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/cgi/cookie.rb
190 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/cgi.rb
191 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/context.rb
192 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/class_module.rb
193 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/context/section.rb
194 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/top_level.rb
195 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/generator/markup.rb
196 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/generator/darkfish.rb
197 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/generator/ri.rb
198 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/rdoc.rb
199 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/options.rb
200 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/text.rb
201 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/simple.rb
202 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/c.rb
203 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/changelog.rb
204 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/markdown.rb
205 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/rd.rb
206 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/ruby_token.rb
207 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/token_stream.rb
208 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/ruby_tools.rb
209 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser/ruby.rb
210 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/parser.rb
211 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/store.rb
212 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/stats.rb
213 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/stats/quiet.rb
214 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/encoding.rb
215 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/rdoc/comment.rb
216 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/e2mmap.rb

```

- Process memory map:

```

00100000-00103000 r-xp 00000000 00:00 0      [vdso]
0f350000-0f35a000 r-xp 00000000 08:03 923596
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/generator.so
0f35a000-0f369000 ---p 0000a000 08:03 923596
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/generator.so
0f369000-0f36a000 r--p 00009000 08:03 923596
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/generator.so
0f36a000-0f36b000 rw-p 0000a000 08:03 923596
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/generator.so
0f37b000-0f37c000 r-xp 00000000 08:03 662316 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32le.so
0f37c000-0f38b000 ---p 00001000 08:03 662316 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32le.so
0f38b000-0f38c000 r--p 00000000 08:03 662316 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32le.so
0f38c000-0f38d000 rw-p 00001000 08:03 662316 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32le.so
0f39d000-0f39e000 r-xp 00000000 08:03 662345 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32be.so
0f39e000-0f3ad000 ---p 00001000 08:03 662345 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32be.so
0f3ad000-0f3ae000 r--p 00000000 08:03 662345 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32be.so
0f3ae000-0f3af000 rw-p 00001000 08:03 662345 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_32be.so
0f3bf000-0f3c5000 r-xp 00000000 08:03 923595 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/parser.so
0f3c5000-0f3d4000 ---p 00006000 08:03 923595 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/parser.so
0f3d4000-0f3d5000 r--p 00005000 08:03 923595 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/parser.so
0f3d5000-0f3d6000 rw-p 00006000 08:03 923595
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/json/ext/parser.so
0f3e6000-0f3ed000 r-xp 00000000 08:03 401416 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/pathname.so
0f3ed000-0f3fd000 ---p 00007000 08:03 401416 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/pathname.so
0f3fd000-0f3fe000 r--p 00007000 08:03 401416 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/pathname.so
0f3fe000-0f3ff000 rw-p 00008000 08:03 401416 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/pathname.so
0f40f000-0f410000 r-xp 00000000 08:03 662327 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16be.so
0f410000-0f41f000 ---p 00001000 08:03 662327 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16be.so

```

0f41f000-0f420000 r--p 00000000 08:03 662327	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16be.so
0f420000-0f421000 rw-p 00001000 08:03 662327	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16be.so
0f431000-0f432000 r-xp 00000000 08:03 662325	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16le.so
0f432000-0f441000 ---p 00001000 08:03 662325	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16le.so
0f441000-0f442000 r--p 00000000 08:03 662325	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16le.so
0f442000-0f443000 rw-p 00001000 08:03 662325	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/utf_16le.so
0f453000-0f466000 r-xp 00000000 08:03 2363188	/lib/powerpc-linux-gnu/libresolv-2.15.so
0f466000-0f475000 ---p 00013000 08:03 2363188	/lib/powerpc-linux-gnu/libresolv-2.15.so
0f475000-0f476000 r--p 00012000 08:03 2363188	/lib/powerpc-linux-gnu/libresolv-2.15.so
0f476000-0f477000 rw-p 00013000 08:03 2363188	/lib/powerpc-linux-gnu/libresolv-2.15.so
0f477000-0f479000 rw-p 00000000 00:00 0	
0f489000-0f48d000 r-xp 00000000 08:03 2363181	/lib/powerpc-linux-gnu/libnss_dns-2.15.so
0f48d000-0f49c000 ---p 00004000 08:03 2363181	/lib/powerpc-linux-gnu/libnss_dns-2.15.so
0f49c000-0f49d000 r--p 00003000 08:03 2363181	/lib/powerpc-linux-gnu/libnss_dns-2.15.so
0f49d000-0f49e000 rw-p 00004000 08:03 2363181	/lib/powerpc-linux-gnu/libnss_dns-2.15.so
0f4ae000-0f4b0000 r-xp 00000000 08:03 2359628	/lib/libnss_mdns4_minimal.so.2
0f4b0000-0f4bf000 ---p 00002000 08:03 2359628	/lib/libnss_mdns4_minimal.so.2
0f4bf000-0f4c0000 r--p 00001000 08:03 2359628	/lib/libnss_mdns4_minimal.so.2
0f4c0000-0f4c1000 rw-p 00002000 08:03 2359628	/lib/libnss_mdns4_minimal.so.2
0f4d1000-0f4dd000 r-xp 00000000 08:03 2363182	/lib/powerpc-linux-gnu/libnss_files-2.15.so
0f4dd000-0f4ec000 ---p 0000c000 08:03 2363182	/lib/powerpc-linux-gnu/libnss_files-2.15.so
0f4ec000-0f4ed000 r--p 0000b000 08:03 2363182	/lib/powerpc-linux-gnu/libnss_files-2.15.so
0f4ed000-0f4ee000 rw-p 0000c000 08:03 2363182	/lib/powerpc-linux-gnu/libnss_files-2.15.so
0f4fe000-0f525000 r-xp 00000000 08:03 401421	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/socket.so
0f525000-0f534000 ---p 00027000 08:03 401421	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/socket.so
0f534000-0f536000 r--p 00026000 08:03 401421	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/socket.so
0f536000-0f537000 rw-p 00028000 08:03 401421	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/socket.so
0f547000-0f57a000 r-xp 00000000 08:03 401420	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/date_core.so
0f57a000-0f58a000 ---p 00033000 08:03 401420	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/date_core.so
0f58a000-0f58b000 r--p 00033000 08:03 401420	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/date_core.so
0f58b000-0f58c000 rw-p 00034000 08:03 401420	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/date_core.so
0f59c000-0f5a1000 r-xp 00000000 08:03 401402	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/strscan.so
0f5a1000-0f5b1000 ---p 00005000 08:03 401402	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/strscan.so
0f5b1000-0f5b2000 r--p 00005000 08:03 401402	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/strscan.so
0f5b2000-0f5b3000 rw-p 00006000 08:03 401402	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/strscan.so
0f5c3000-0f5e0000 r-xp 00000000 08:03 147896	/usr/lib/powerpc-linux-gnu/libyaml-0.so.2.0.2
0f5e0000-0f5ef000 ---p 0001d000 08:03 147896	/usr/lib/powerpc-linux-gnu/libyaml-0.so.2.0.2
0f5ef000-0f5f0000 r--p 0001c000 08:03 147896	/usr/lib/powerpc-linux-gnu/libyaml-0.so.2.0.2
0f5f0000-0f5f1000 rw-p 0001d000 08:03 147896	/usr/lib/powerpc-linux-gnu/libyaml-0.so.2.0.2
0f601000-0f607000 r-xp 00000000 08:03 401424	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/psych.so
0f607000-0f616000 ---p 00006000 08:03 401424	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/psych.so
0f616000-0f617000 r--p 00005000 08:03 401424	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/psych.so
0f617000-0f618000 rw-p 00006000 08:03 401424	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/psych.so
0f628000-0f638000 r-xp 00000000 08:03 401405	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/zlib.so
0f638000-0f647000 ---p 00010000 08:03 401405	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/zlib.so
0f647000-0f648000 r--p 0000f000 08:03 401405	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/zlib.so
0f648000-0f649000 rw-p 00010000 08:03 401405	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/zlib.so
0f659000-0f65a000 r-xp 00000000 08:03 401418	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/fcctl.so
0f65a000-0f669000 ---p 00001000 08:03 401418	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/fcctl.so
0f669000-0f66a000 r--p 00000000 08:03 401418	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/fcctl.so
0f66a000-0f66b000 rw-p 00001000 08:03 401418	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/fcctl.so
0f67b000-0f682000 r-xp 00000000 08:03 401399	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/stringio.so
0f682000-0f692000 ---p 00007000 08:03 401399	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/stringio.so
0f692000-0f693000 r--p 00007000 08:03 401399	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/stringio.so
0f693000-0f694000 rw-p 00008000 08:03 401399	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/stringio.so
0f6a4000-0f6a8000 r-xp 00000000 08:03 401419	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/digest.so
0f6a8000-0f6b7000 ---p 00004000 08:03 401419	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/digest.so
0f6b7000-0f6b8000 r--p 00003000 08:03 401419	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/digest.so
0f6b8000-0f6b9000 rw-p 00004000 08:03 401419	/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/digest.so
0f6c9000-0f6e1000 r-xp 00000000 08:03 2359309	/lib/powerpc-linux-gnu/libz.so.1.2.7
0f6e1000-0f6f0000 ---p 00018000 08:03 2359309	/lib/powerpc-linux-gnu/libz.so.1.2.7
0f6f0000-0f6f1000 r--p 00017000 08:03 2359309	/lib/powerpc-linux-gnu/libz.so.1.2.7
0f6f1000-0f6f2000 rw-p 00018000 08:03 2359309	/lib/powerpc-linux-gnu/libz.so.1.2.7
0f702000-0f895000 r-xp 00000000 08:03 2359416	/lib/powerpc-linux-gnu/libcrypto.so.1.0.0
0f895000-0f8a4000 ---p 00193000 08:03 2359416	/lib/powerpc-linux-gnu/libcrypto.so.1.0.0
0f8a4000-0f8b4000 r--p 00192000 08:03 2359416	/lib/powerpc-linux-gnu/libcrypto.so.1.0.0
0f8b4000-0f8ba000 rw-p 001a2000 08:03 2359416	/lib/powerpc-linux-gnu/libcrypto.so.1.0.0

```

0f8ba000-0f8be000 rw-p 00000000 00:00 0
0f8ce000-0f91e000 r-xp 00000000 08:03 2359418 /lib/powerpc-linux-gnu/libssl.so.1.0.0
0f91e000-0f920000 r--p 00050000 08:03 2359418 /lib/powerpc-linux-gnu/libssl.so.1.0.0
0f920000-0f924000 rw-p 00052000 08:03 2359418 /lib/powerpc-linux-gnu/libssl.so.1.0.0
0f934000-0f988000 r-xp 00000000 08:03 401401 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/openssl.so
0f988000-0f998000 ---p 00054000 08:03 401401 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/openssl.so
0f998000-0f99b000 r--p 00054000 08:03 401401 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/openssl.so
0f99b000-0f99c000 rw-p 00057000 08:03 401401 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/openssl.so
0f99c000-0f99d000 rw-p 00000000 00:00 0
0f9ad000-0f9b0000 r-xp 00000000 08:03 401404 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/etc.so
0f9b0000-0f9bf000 ---p 00003000 08:03 401404 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/etc.so
0f9bf000-0f9c0000 r--p 00002000 08:03 401404 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/etc.so
0f9c0000-0f9c1000 rw-p 00003000 08:03 401404 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/etc.so
0f9d1000-0f9d4000 r-xp 00000000 08:03 790775
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/trans/transdb.so
0f9d4000-0f9e3000 ---p 00003000 08:03 790775
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/trans/transdb.so
0f9e3000-0f9e4000 r--p 00002000 08:03 790775
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/trans/transdb.so
0f9e4000-0f9e5000 rw-p 00003000 08:03 790775
/usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/trans/transdb.so
0f9f5000-0f9f7000 r-xp 00000000 08:03 662342 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/encdb.so
0f9f7000-0fa07000 ---p 00002000 08:03 662342 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/encdb.so
0fa07000-0fa08000 r--p 00002000 08:03 662342 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/encdb.so
0fa08000-0fa09000 rw-p 00003000 08:03 662342 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/ruby/2.0.0/powerpc-linux/enc/encdb.so
0fa19000-0fab0000 r-xp 00000000 08:03 2359487 /lib/powerpc-linux-gnu/libm-2.15.so
0fab0000-0facc000 ---p 000a3000 08:03 2359487 /lib/powerpc-linux-gnu/libm-2.15.so
0facc000-0facf000 r--p 000a3000 08:03 2359487 /lib/powerpc-linux-gnu/libm-2.15.so
0facf000-0fad0000 rw-p 000a6000 08:03 2359487 /lib/powerpc-linux-gnu/libm-2.15.so
0fae0000-0fae8000 r-xp 00000000 08:03 2359484 /lib/powerpc-linux-gnu/libcrypt-2.15.so
0fae8000-0faf7000 ---p 00008000 08:03 2359484 /lib/powerpc-linux-gnu/libcrypt-2.15.so
0faf7000-0faf8000 r--p 00007000 08:03 2359484 /lib/powerpc-linux-gnu/libcrypt-2.15.so
0faf8000-0faf9000 rw-p 00008000 08:03 2359484 /lib/powerpc-linux-gnu/libcrypt-2.15.so
0faf9000-0fb20000 rw-p 00000000 00:00 0
0fb30000-0fb33000 r-xp 00000000 08:03 2359485 /lib/powerpc-linux-gnu/libdl-2.15.so
0fb33000-0fb42000 ---p 00003000 08:03 2359485 /lib/powerpc-linux-gnu/libdl-2.15.so
0fb42000-0fb43000 r--p 00002000 08:03 2359485 /lib/powerpc-linux-gnu/libdl-2.15.so
0fb43000-0fb44000 rw-p 00003000 08:03 2359485 /lib/powerpc-linux-gnu/libdl-2.15.so
0fb54000-0fb5c000 r-xp 00000000 08:03 2363189 /lib/powerpc-linux-gnu/librt-2.15.so
0fb5c000-0fb6b000 ---p 00008000 08:03 2363189 /lib/powerpc-linux-gnu/librt-2.15.so
0fb6b000-0fb6c000 r--p 00007000 08:03 2363189 /lib/powerpc-linux-gnu/librt-2.15.so
0fb6c000-0fb6d000 rw-p 00008000 08:03 2363189 /lib/powerpc-linux-gnu/librt-2.15.so
0fb7d000-0fb94000 r-xp 00000000 08:03 2363187 /lib/powerpc-linux-gnu/libpthread-2.15.so
0fb94000-0fba3000 ---p 00017000 08:03 2363187 /lib/powerpc-linux-gnu/libpthread-2.15.so
0fba3000-0fba4000 r--p 00016000 08:03 2363187 /lib/powerpc-linux-gnu/libpthread-2.15.so
0fba4000-0fba5000 rw-p 00017000 08:03 2363187 /lib/powerpc-linux-gnu/libpthread-2.15.so
0fba5000-0fba7000 rw-p 00000000 00:00 0
0fbb7000-0fd1c000 r-xp 00000000 08:03 2359459 /lib/powerpc-linux-gnu/libc-2.15.so
0fd1c000-0fd2b000 ---p 00165000 08:03 2359459 /lib/powerpc-linux-gnu/libc-2.15.so
0fd2b000-0fd2f000 r--p 00164000 08:03 2359459 /lib/powerpc-linux-gnu/libc-2.15.so
0fd2f000-0fd30000 rw-p 00168000 08:03 2359459 /lib/powerpc-linux-gnu/libc-2.15.so
0fd30000-0fd33000 rw-p 00000000 00:00 0
0fd43000-0ffc2000 r-xp 00000000 08:03 401134 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0.0
0ffc2000-0ffd2000 ---p 0027f000 08:03 401134 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0.0
0ffd2000-0ffdc000 r--p 0027f000 08:03 401134 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0.0
0ffdc000-0ffde000 rw-p 00289000 08:03 401134 /usr/local/rvm/rubies/ruby-2.0.0-p0/lib/libruby.so.2.0.0
0ffde000-0fff0000 rw-p 00000000 00:00 0
10000000-10001000 r-xp 00000000 08:03 401132 /usr/local/rvm/rubies/ruby-2.0.0-p0/bin/ruby
10010000-10011000 r--p 00000000 08:03 401132 /usr/local/rvm/rubies/ruby-2.0.0-p0/bin/ruby
10011000-10012000 rw-p 00001000 08:03 401132 /usr/local/rvm/rubies/ruby-2.0.0-p0/bin/ruby
1054e000-127e5000 rwxp 00000000 00:00 0 [heap]
48000000-48020000 r-xp 00000000 08:03 2359299 /lib/powerpc-linux-gnu/ld-2.15.so
48020000-48021000 r--p 00020000 08:03 2359299 /lib/powerpc-linux-gnu/ld-2.15.so
48021000-48022000 rw-p 00021000 08:03 2359299 /lib/powerpc-linux-gnu/ld-2.15.so
48022000-48025000 rw-p 00000000 00:00 0
4802a000-4802c000 rw-p 00000000 00:00 0
4802c000-4822c000 r--p 00000000 08:03 136805 /usr/lib/locale/locale-archive

```

```
4822c000-482ad000 rw-p 00000000 00:00 0
482ad000-482ae000 ---p 00000000 00:00 0
482ae000-482cd000 rw-p 00000000 00:00 0      [stack:14493]
482cd000-482d4000 r--s 00000000 08:03 143139  /usr/lib/powerpc-linux-gnu/gconv/gconv-modules.cache
48534000-4856a000 rw-p 00000000 00:00 0
bfa1d000-bfa3e000 rw-p 00000000 00:00 0
```

[NOTE]

You may have encountered a bug in the Ruby interpreter or extension libraries.

Bug reports are welcome.

For details: <http://www.ruby-lang.org/bugreport.html>

History

#1 - 04/11/2013 01:51 PM - zzak (zzak _)

Thanks James, could you try this with trunk?

#2 - 04/25/2013 12:49 PM - naruse (Yui NARUSE)

- Status changed from Open to Feedback

patch is welcome

#3 - 01/30/2014 06:16 AM - hsbt (Hiroshi SHIBATA)

- Target version changed from 2.1.0 to 2.2.0

#4 - 01/30/2014 07:15 AM - jamesotron (James Harton)

Sorry, just saw this now. I'll try trunk tomorrow when I get to the office. I can provide a remote shell should it be needed, or can do peer debugging.

#5 - 01/05/2018 09:00 PM - naruse (Yui NARUSE)

- Target version deleted (2.2.0)

#6 - 07/15/2019 10:50 PM - jeremyevans0 (Jeremy Evans)

- Status changed from Feedback to Closed